

**EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	(("6816898") or ("6795403")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/01 13:59
S2	1	("6795403").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/11/16 18:08
S3	1	("20050015485").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/11/17 16:38
S4	0	S3 and (class adj defintion)	USPAT	OR	OFF	2005/11/17 16:38
S5	0	S3 and (class near2 defintion)	USPAT	OR	OFF	2005/11/17 16:39
S6	0	"20050015485"	USPAT	OR	OFF	2005/11/17 16:39
S7	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/11/17 16:46
S8	0	S7 and (class near2 definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 16:39
S9	1	S7 and (class)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 16:45
S10	1	S7 and (class) and medium	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 16:48
S11	0	S7 and (class) and machine	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 16:48
S12	6	"6606690"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 16:19
S13	1	"20020194415"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 16:19

S14	4	"60286320"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 18:35
S15	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 18:35
S16	1	"20050015485" and "definition"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 18:39
S17	1	"6816898"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 18:58
S18	2814612	agent\$2 program\$2 template \$2 codes software cookie\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 19:01
S19	1248467	monitor\$3 supervis\$3 manag \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 19:02
S20	40764	(hardware (hard near2 ware)) with (characteristic profile\$2 statics definition information)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 19:05
S21	305705	S18 same S19 sme S20	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 19:05
S22	1857	S18 same S19 same S20	USPAT	OR	OFF	2005/11/18 19:07
S23	1034	S22 and parameters	USPAT	OR	OFF	2005/11/18 19:07
S24	35	S23 and (memory near2 usage)	USPAT	OR	OFF	2005/11/18 19:07
S25	10	S24 and temperature	USPAT	OR	OFF	2005/11/18 19:08
S26	0	S25 and (CPU adj usage)	USPAT	OR	OFF	2005/11/18 19:07
S27	0	S25 and (CPU near2 usage)	USPAT	OR	OFF	2005/11/18 19:07
S28	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 09:16
S29	693	GUI near5 JAVA	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 09:17

S30	207	S29 and ((monitor\$3 manag\$5) near3 network)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 09:19
S31	187	S30 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 10:56
S32	179	S31 and (template\$2 module\$2 (class near2 definition) object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 09:26
S33	174	S31 and (template\$2 module\$2 (class near2 definition) object\$2) and (repository database memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 09:26
S34	113	S31 and ((template\$2 module\$2 (class near2 definition) object\$2) near10 (repository database memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 10:33
S35	1	"6816890".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 10:43
S36	0	(select\$3 choos\$3) near2 (templat\$3 module\$2 object\$2 code\$2 file\$2 class\$2) near3 (associat\$3 bas\$3) near3 (characteric\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 10:52
S37	1078	(buil\$4 mak\$3) near2 (agent\$2 gateway\$2 application\$2) near2 (templat\$3 class\$2 object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 10:56
S38	0	S37 and (agent\$2 gateway\$2) near2 (monitor\$3) near2 (network) near2 device\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 10:55
S39	0	S37 and ((agent\$2 gateway\$2) near2 (monitor\$3) near2 (network) near2 device\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 10:56
S40	45	((agent\$2 gateway\$2) near2 (monitor\$3) near2 (network) near2 device\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 10:56
S41	38	S40 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 10:56
S42	12	S41 and (agent\$2 gateway\$2 application\$2) near2 (templat\$3 class\$2 object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 13:50

S43	0	"6032183".pn. and java	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 13:50
S44	60	"5101348"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 13:51
S45	1	"5101348".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 13:57
S46	0	"5101348".pn. and JAVA	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 13:52
S47	1	Agent near2 updat\$3 near2 dynamic\$4 near2 (templat\$4 table\$2 modul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 13:58
S48	7874	SNMP	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 13:59
S49	10	S48 and (agent\$2 near2 load \$2 near2(templat\$3 software \$2 module\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 14:00
S50	7	S49 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 14:00
S51	2	"6816898"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/02 10:42
S52	8790	709/223	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/02 10:42
S53	8913	709/224	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/02 10:42
S54	4519	709/225	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/02 10:42
S55	4297	709/226	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/02 10:42

S56	1	"6816898".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:15
S57	1	"6842781".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:15
S58	2	(("6816898") or ("6795403")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/10/23 14:21
S59	1	("6795403").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/10/23 14:21
S60	1	("20050015485").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/10/23 14:21
S61	0	S60 and (class adj defintion)	USPAT	OR	OFF	2006/10/23 14:21
S62	0	S60 and (class near2 definition)	USPAT	OR	OFF	2006/10/23 14:21
S63	0	"20050015485"	USPAT	OR	OFF	2006/10/23 14:21
S64	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/10/23 14:21
S65	0	S64 and (class near2 definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S66	1	S64 and (class)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S67	1	S64 and (class) and medium	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S68	0	S64 and (class) and machine	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S69	23	"6606690"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21

S70	2	"20020194415"	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S71	6	"60286320"	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S72	1	"20050015485"	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S73	1	"20050015485" and "definition"	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S74	2	"6816898"	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S75	3074485	agent\$2 program\$2 template \$2 codes software cookie\$2	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S76	1402866	monitor\$3 supervis\$3 manag \$3	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S77	49423	(hardware (hard near2 ware)) with (characteristic profile\$2 statics definition information)	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S78	357884	S75 same S76 sme S77	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S79	2179	S75 same S76 same S77	USPAT	OR	OFF	2006/10/23 14:21
S80	1230	S79 and parameters	USPAT	OR	OFF	2006/10/23 14:21
S81	44	S80 and (memory near2 usage)	USPAT	OR	OFF	2006/10/23 14:21
S82	11	S81 and temperature	USPAT	OR	OFF	2006/10/23 14:21
S83	0	S82 and (CPU adj usage)	USPAT	OR	OFF	2006/10/23 14:21
S84	0	S82 and (CPU near2 usage)	USPAT	OR	OFF	2006/10/23 14:21
S85	1	"20050015485"	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21

S86	769	GUI near5 JAVA	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S87	227	S86 and ((monitor\$3 manag\$5) near3 network)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S88	204	S87 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S89	195	S88 and (template\$2 module\$2 (class near2 definition) object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S90	190	S88 and (template\$2 module\$2 (class near2 definition) object\$2) and (repository database memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S91	122	S88 and ((template\$2 module\$2 (class near2 definition) object\$2) near10 (repository database memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S92	1	"6816890".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S93	0	(select\$3 choos\$3) near2 (templat\$3 module\$2 object\$2 code\$2 file\$2 class\$2) near3 (associat\$3 bas\$3) near3 (characteric\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S94	1185	(buil\$4 mak\$3) near2 (agent\$2 gateway\$2 application\$2) near2 (templat\$3 class\$2 object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S95	0	S94 and (agent\$2 gateway\$2) near2 (monitor\$3) near2 (network) near2 device\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S96	0	S94 and ((agent\$2 gateway\$2) near2 (monitor\$3) near2 (network) near2 device\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S97	49	((agent\$2 gateway\$2) near2 (monitor\$3) near2 (network) near2 device\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S98	41	S97 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21

S99	12	S98 and (agent\$2 gateway\$2 application\$2) near2 (templat\$3 class\$2 object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S100	0	"6032183".pn. and java	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S101	64	"5101348"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S102	1	"5101348".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S103	0	"5101348".pn. and JAVA	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S104	2	Agent near2 updat\$3 near2 dynamic\$4 near2 (templat\$4 table\$2 modul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S105	8802	SNMP	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S106	16	S105 and (agent\$2 near2 load\$2 near2(templat\$3 software\$2 module\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S107	9	S106 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S108	2	"6816898"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S109	10086	709/223	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S110	10222	709/224	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S111	5191	709/225	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21

S112	5044	709/226	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/23 14:21
S113	1	"6842781".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 17:27
S114	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 17:27
S115	4601142	@ad<"20030627" @rlad<"20030627"	US-PGPUB; USPAT	OR	ON	2007/12/19 13:57
S116	2832	object near2 oriented near2 class	US-PGPUB; USPAT	OR	ON	2007/12/19 14:15
S117	0	S116 and (object near2 classes near2 hierarchy)	US-PGPUB; USPAT	OR	ON	2007/12/19 14:12
S118	3	S116 and (object near5 hierarchy)	US-PGPUB; USPAT	OR	ON	2007/12/19 14:14
S119	10	(object near5 hierarchy)	US-PGPUB; USPAT	OR	ON	2007/12/19 14:17
S120	8	S119 and S115	US-PGPUB; USPAT	OR	ON	2007/12/19 14:14
S121	4	object near2 oriented near2 class and hierarchy	US-PGPUB; USPAT	OR	ON	2007/12/19 14:16
S122	3	S121 and S115	US-PGPUB; USPAT	OR	ON	2007/12/19 14:15
S123	1562	object near2 oriented near2 class and hierarchy	US-PGPUB; USPAT	OR	ON	2007/12/19 14:16
S124	7364	(object near5 hierarchy)	US-PGPUB; USPAT	OR	ON	2007/12/19 14:17
S125	711	S124 and S116 and S115	US-PGPUB; USPAT	OR	ON	2007/12/19 14:17
S126	2	S125 and java and pearl	US-PGPUB; USPAT	OR	ON	2007/12/19 14:18
S127	2	"20020038206"	US-PGPUB; USPAT	OR	ON	2007/12/19 14:17
S128	2	S125 and pearl	US-PGPUB; USPAT	OR	ON	2007/12/19 14:18
S129	413	S125 and java	US-PGPUB; USPAT	OR	ON	2007/12/19 14:19
S130	6282	script near2 program	US-PGPUB; USPAT	OR	ON	2007/12/19 14:19
S131	22	S129 and S130	US-PGPUB; USPAT	OR	ON	2007/12/19 14:19
S132	9	("5794259"   "5973696"   "6023578"   "6115719"   "6249291"   "6446109"   "6476828"   "6558431"   "6598219").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/19 14:56

S133	1	"20050015485" and hierarchy	US-PGPUB; USPAT; USOCR	:OR	ON	2007/12/19 14:57
S134	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	:OR	ON	2008/05/02 09:53
S135	1	".6061724".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	:OR	ON	2008/05/02 09:57
S136	1	".6349306".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	:OR	ON	2008/05/02 09:58
S137	2	".6349306".pn. ".6061724".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	:OR	ON	2008/05/02 11:35
S138	1	S137 and (threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	:OR	ON	2008/05/02 11:35
S139	0	S137 and (cpu near2 usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	:OR	ON	2008/05/02 11:35
S140	2	S137 and (status)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	:OR	ON	2008/05/02 11:37
S141	52200	object near2 orient\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	:OR	ON	2008/05/02 12:00
S142	2480	S141 same hierarchy	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	:OR	ON	2008/05/02 12:00
S143	26309	monitor\$3 with network with device\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	:OR	ON	2008/05/02 12:00
S144	136	S142 and S143	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	:OR	ON	2008/05/02 12:01
S145	13972053	@ad<"20030627" @rlad<"20030627"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	:OR	ON	2008/05/02 12:01

S146	1141	S144 and12	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 12:01
S147	119	S144 and S145	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 12:01
S148	9325	class same hierarchy	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 12:06
S149	102	S147 and S148	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 12:06
S150	1	"6349306".pn. and monitor \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 14:30
S151	0	"6061724".pn. and monitor \$3 and harware	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 14:46
S152	1	"6061724".pn. and monitor \$3 and hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 14:46
S153	1184	"MI B" and monitor\$3 same hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 14:46
S154	890	S153 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 14:47
S155	890	S153 and (@rlad<"20030627" @ad<"20030627")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 14:47
S156	135	S155 and (object near2 class)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 14:47
S157	0	"6061724" and (monitor\$3 near2 parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 15:06
S158	13	"6061724" and (monitor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 15:06

S159	1184	"MI B" and monitor\$3 same hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 17:38
S160	890	S159 and (@rlad<"20030627" @ad<"20030627")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 17:38
S161	55	S160 and (object near2 class) and ((alert\$3 notification notify\$3) with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 17:38
S162	0	"5995916" and threshol	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 17:49
S163	23	"5995916" and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 17:49
S164	0	"5995916".pn. and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 17:50
S165	13125	709/223,224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:06
S166	257	S165 and S159	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:06
S167	200	S166 and S160	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:06
S168	2	(("6816898") or ("6795403")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/02 18:07
S169	1	("6795403").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/02 18:07
S170	1	("20050015485").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/02 18:07
S171	0	S170 and (class adj defintion)	USPAT	OR	OFF	2008/05/02 18:07
S172	0	S170 and (class near2 defintion)	USPAT	OR	OFF	2008/05/02 18:07

S173	0	"20050015485"	USPAT	OR	OFF	2008/05/02 18:07
S174	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/02 18:07
S175	0	S174 and (class near2 definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S176	1	S174 and (class)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S177	1	S174 and (class) and medium	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S178	0	S174 and (class) and machine	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S179	76	"6606690"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S180	2	"20020194415"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S181	6	"60286320"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S182	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S183	1	"20050015485" and "definition"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S184	4	"6816898"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S185	3530565	agent\$2 program\$2 template \$2 codes software cookie\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S186	1666800	monitor\$3 supervis\$3 manag \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07

S187	64944	(hardware (hard near2 ware)) with (characteristic profile\$2 statics definition information)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S188	448510	S185 same S186 sme S187	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S189	2765	S185 same S186 same S187	USPAT	OR	OFF	2008/05/02 18:07
S190	1577	S189 and parameters	USPAT	OR	OFF	2008/05/02 18:07
S191	57	S190 and (memory near2 usage)	USPAT	OR	OFF	2008/05/02 18:07
S192	14	S191 and temperature	USPAT	OR	OFF	2008/05/02 18:07
S193	0	S192 and (CPU adj usage)	USPAT	OR	OFF	2008/05/02 18:07
S194	0	S192 and (CPU near2 usage)	USPAT	OR	OFF	2008/05/02 18:07
S195	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S196	965	GUI near5 JAVA	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S197	289	S196 and ((monitor\$3 manag \$5) near3 network)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S198	243	S197 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S199	234	S198 and (template\$2 module \$2 (class near2 definition) object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S200	229	S198 and (template\$2 module \$2 (class near2 definition) object\$2) and (repository database memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S201	151	S198 and ((template\$2 module\$2 (class near2 definition) object\$2) near10 (repository database memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S202	1	"6816890".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07

S203	0	(select\$3 choos\$3) near2 (templat\$3 module\$2 object \$2 code\$2 file\$2 class\$2) near3 (associat\$3 bas\$3) near3 (characteric\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S204	1444	(buil\$4 mak\$3) near2 (agent \$2 gateway\$2 application\$2) near2 (templat\$3 class\$2 object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S205	0	S204 and (agent\$2 gateway \$2) near2 (monitor\$3) near2 (network) near2 device\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S206	0	S204 and ((agent\$2 gateway \$2) near2 (monitor\$3) near2 (network) near2 device\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S207	70	((agent\$2 gateway\$2) near2 (monitor\$3) near2 (network) near2 device\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S208	48	S207 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S209	13	S208 and (agent\$2 gateway \$2 application\$2) near2 (templat\$3 class\$2 object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S210	0	"6032183".pn. and java	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S211	72	"5101348"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S212	1	"5101348".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S213	0	"5101348".pn. and JAVA	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S214	3	Agent near2 updat\$3 near2 dynamic\$4 near2 (templat\$4 table\$2 modul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S215	11811	SNMP	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07

S216	17	S215 and (agent\$2 near2 load\$2 near2(template\$3 software\$2 module\$2))	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S217	10	S216 and (@rlad<"20030623" @ad<"20030623")	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S218	4	"6816898"	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S219	14503	709/223	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S220	14525	709/224	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S221	7336	709/225	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S222	7205	709/226	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S223	1	"6816898".pn.	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S224	1	"6842781".pn.	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S225	2	(("6816898") or ("6795403")).PN.	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/02 18:07
S226	1	("6795403").PN.	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/02 18:07
S227	1	("20050015485").PN.	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/02 18:07
S228	0	S227 and (class adj definition)	USPAT	OR	OFF	2008/05/02 18:07
S229	0	S227 and (class near2 definition)	USPAT	OR	OFF	2008/05/02 18:07

S230	0	"20050015485"	USPAT	OR	OFF	2008/05/02 18:07
S231	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/02 18:07
S232	0	S231 and (class near2 definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S233	1	S231 and (class)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S234	1	S231 and (class) and medium	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S235	0	S231 and (class) and machine	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S236	76	"6606690"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S237	2	"20020194415"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S238	6	"60286320"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S239	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S240	1	"20050015485" and "definition"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S241	4	"6816898"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S242	3530565	agent\$2 program\$2 template \$2 codes software cookie\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S243	1666800	monitor\$3 supervis\$3 manag \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07

S244	64944	(hardware (hard near2 ware) with (characteristic profile\$2 statics definition information)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S245	448510	S242 same S243 sme S244	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S246	2765	S242 same S243 same S244	USPAT	OR	OFF	2008/05/02 18:07
S247	1577	S246 and parameters	USPAT	OR	OFF	2008/05/02 18:07
S248	57	S247 and (memory near2 usage)	USPAT	OR	OFF	2008/05/02 18:07
S249	14	S248 and temperature	USPAT	OR	OFF	2008/05/02 18:07
S250	0	S249 and (CPU adj usage)	USPAT	OR	OFF	2008/05/02 18:07
S251	0	S249 and (CPU near2 usage)	USPAT	OR	OFF	2008/05/02 18:07
S252	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S253	965	GUI near5 JAVA	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S254	289	S253 and ((monitor\$3 manag \$5) near3 network)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S255	243	S254 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S256	234	S255 and (template\$2 module \$2 (class near2 definition) object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S257	229	S255 and (template\$2 module \$2 (class near2 definition) object\$2) and (repository database memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S258	151	S255 and ((template\$2 module\$2 (class near2 definition) object\$2) near10 (repository database memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S259	1	"6816890".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07

S260	0	(select\$3 choos\$3) near2 (templat\$3 module\$2 object \$2 code\$2 file\$2 class\$2) near3 (associat\$3 bas\$3) near3 (characteric\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S261	1444	(buil\$4 mak\$3) near2 (agent \$2 gateway\$2 application\$2) near2 (templat\$3 class\$2 object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S262	0	S261 and (agent\$2 gateway \$2) near2 (monitor\$3) near2 (network) near2 device\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S263	0	S261 and ((agent\$2 gateway \$2) near2 (monitor\$3) near2 (network) near2 device\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S264	70	((agent\$2 gateway\$2) near2 (monitor\$3) near2 (network) near2 device\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S265	48	S264 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S266	13	S265 and (agent\$2 gateway \$2 application\$2) near2 (templat\$3 class\$2 object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S267	0	"6032183".pn. and java	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S268	72	"5101348"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S269	1	"5101348".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S270	0	"5101348".pn. and JAVA	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S271	3	Agent near2 updat\$3 near2 dynamic\$4 near2 (templat\$4 table\$2 modul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S272	11811	SNMP	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07

S273	17	S272 and (agent\$2 near2 load\$2 near2(template\$3 software\$2 module\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S274	10	S273 and (@rlad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S275	4	"6816898"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S276	14503	709/223	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S277	14525	709/224	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S278	7336	709/225	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S279	7205	709/226	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S280	1	"6842781".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S281	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S282	4633236	@ad<"20030627" @rlad<"20030627"	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
S283	2945	object near2 oriented near2 class	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
S284	0	S283 and (object near2 classes near2 hierarchy)	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
S285	3	S283 and (object near5 hierarchy)	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
S286	10	(object near5 hierarchy)	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
S287	8	S286 and S282	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
S288	4	object near2 oriented near2 class and hierarchy	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
S289	3	S288 and S282	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07

S290	1616	object near2 oriented near2 class and hierarchy	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
S291	7725	(object near5 hierarchy)	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
S292	719	S291 and S283 and S282	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
S293	2	S292 and java and pearl	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
S294	2	"20020038206"	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
S295	2	S292 and pearl	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
S296	419	S292 and java	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
S297	6822	script near2 program	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
S298	22	S296 and S297	US-PGPUB; USPAT	OR	ON	2008/05/02 18:07
S299	9	("5794259"   "5973696"   "6023578"   "6115719"   "6249291"   "6446109"   "6476828"   "6558431"   "6598219").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/02 18:07
S300	1	"20050015485" and hierarchy	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/02 18:07
S301	1	"20050015485"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S302	1	"6061724".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S303	1	"6349306".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S304	2	"6349306".pn. "6061724".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S305	1	S304 and (threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S306	0	S304 and (cpu near2 usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07

S307	2	S304 and (status)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S308	52200	object near2 orient\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S309	2480	S308 same hierarchy	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S310	26309	monitor\$3 with network with device\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S311	136	S309 and S310	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S312	13972053	@ad<"20030627" @rlad<"20030627"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S313	1141	S311 and12	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S314	119	S311 and S312	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S315	9325	class same hierarchy	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S316	102	S314 and S315	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S317	1	"6349306".pn. and monitor \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S318	0	"6061724".pn. and monitor \$3 and harware	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S319	1	"6061724".pn. and monitor \$3 and hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07

S320	1184	"MI B" and monitor\$3 same hardware	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S321	890	S159 and (@rlad<"20030623" @ad<"20030623")	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S322	890	S159 and (@rlad<"20030627" @ad<"20030627")	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S323	135	S160 and (object near2 class)	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S324	0	"6061724" and (monitor\$3 near2 parameter\$1)	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S325	13	"6061724" and (monitor\$3)	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/02 18:07
S326	11783185	@ad<"20010203" @rlad<"20010203"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/05 10:13
S327	103	periodic\$4 with push with service\$1	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/05 10:13
S328	15	S327 and (home near2 network)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/05 10:14
S329	15	S327 and S328	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/05 10:14
S330	2	S329 and S326	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/05 10:14
S331	707	periodic\$4 with (push broadcast\$3 multiplex\$3) with service\$1	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/05 10:17

S332	75	S331 and (home near2 network)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/05 10:17
S333	32	S332 and S326	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/05 10:30
S334	123	("4506387"   "4527194"   "4623905"   "4623920"   "4677685"   "4706121"   "4709418"   "4712239"   "4816905"   "4829372"   "4894714"   "4912552"   "4949187"   "4963995"   "4982430"   "5010499"   "5014125"   "5027400"   "5051822"   "5057932"   "5119188"   "5121476"   "5130792"   "5132992"   "5133079"   "5136411"   "5142680"   "5166886"   "5181107"   "5189673"   "5192999"   "5231494"   "5247347"   "5249044"   "5253275"   "5335277"   "5373288"   "5379421"   "5410326"   "5421017"   "5440632"   "5442389").PN. OR ("5635979").URPN.	OR	ON	2008/05/05 10:37	
S335	122	S334 and S326	US_PGPUB; USPAT; USOCR	OR	ON	2008/05/05 10:38
S336	0	S335 and S327	US_PGPUB; USPAT; USOCR	OR	ON	2008/05/05 10:38
S337	0	S335 and S331	US_PGPUB; USPAT; USOCR	OR	ON	2008/05/05 10:38
S338	48	S335 and periodic\$4	US_PGPUB; USPAT; USOCR	OR	ON	2008/05/05 10:38
S339	10505	(register\$3 with service\$1 with (provider\$1 server))	US_PGPUB; USPAT; USOCR	OR	ON	2008/05/05 10:52
S340	1203	S339 and (home near2 network)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/05 10:53

S341	313	S340 and S326	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/05 10:53
S342	15	S341 and (confir\$3 with registration)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/05 10:54
S343	27	("5481542"   "5559548"   "5559549"   "5585866"   "5589892"   "5600364"   "5600573"   "5635978"   "5635979"   "5659350"   "5682195"   "5734853"   "5740549"   "5760821"   "5771064"   "5781246"   "5850218"   "5874985"   "5907323"   "6163316"   "6240555"   "6282714"   "6313851"   "6317885").PN. OR ("6665869").URPN.	US_PGPUB; USPAT; USOCR	OR	ON	2008/05/05 10:57
S344	5	S343 and S326 and (register \$3 registration)	US_PGPUB; USPAT; USOCR	OR	ON	2008/05/05 10:57
S345	40143	(register\$3 registrataion) with service\$1	US_PGPUB; USPAT; USOCR	OR	ON	2008/05/05 10:59
S346	995	S345 and (confir\$3 with registration)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/05 11:00
S347	128	S346 and (home near2 network)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/05 11:00
S348	59	S347 and S326	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/05 11:00
S349	2127	(register\$3 registrataion) same (home adj network)	US_PGPUB; USPAT; USOCR	OR	ON	2008/05/05 11:06
S350	18	(register\$3 registrataion) same (home\$network)	US_PGPUB; USPAT; USOCR	OR	ON	2008/05/05 11:07
S351	5	S350 and S326	US_PGPUB; USPAT; USOCR	OR	ON	2008/05/05 11:07

S352	37	(register\$3 registrataion) same ("TV" "VCR" "refugerator") same (home near1 network)	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/05 11:09
S353	7	S352 and S326	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/05 11:12
S354	1	10/025497	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/19 11:32
S355	2	"5706434".pn. "6009425".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/19 14:22
S356	4	09/954724	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/19 15:30
S357	0	"20040119759" and (chat email messenger)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/19 15:36
S358	11	"6064724".pn. "6349306".pn. "1367766"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 10:25
S359	1	"6061724".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 10:38
S360	9	"1367766"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 10:43
S361	1236698	(monitor\$3 with remote with device with object)".ti"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 10:45
S362	4	(monitor\$3 with remote with device with object).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 10:45
S363	4	"554655".pn. "1367767".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 10:50
S364	6	"554655".pn. "1367767"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 10:50

S365	1	"5546595".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 10:51
S366	61	("4821220"   "4885717"   "4891630"   "4953080"   "5041992"   "5050090"   "5060276"   "5075848"   "5093914"   "5119475"   "5125091"   "5133075"   "5136705"   "5151987"   "5181162"   "5253344").PN. OR ("5546595").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/24 10:54
S367	40	S366 and monitor\$3	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/24 11:02
S368	1	"5261044".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 13:48
S369	1	"6349306".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 14:04
S370	77	("5049873"   "5175800"   "5193152"   "5202985"   "5226120"   "5261044"   "5285494"   "5295244"   "5333252"   "5384697"   "5436909"   "5444851"   "5452415"   "5455938"   "5471399"   "5483631"   "5485455"   "5500934"   "5535335"   "5535403"   "5539870"   "5559955"   "5568605"   "5572652"   "5832503"   "5872928"   "5884072"   "6094654"   "6115713").PN. OR ("6349306").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/24 14:05
S371	82	((agent\$2 gateway\$2) near2 (monitor\$3) near2 (network) near2 device\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 14:05
S372	54	S371 and (@lad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 14:05
S373	71	S370 and (@lad<"20030623" @ad<"20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 14:05

S374	56	S373 and hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 14:06
S375	53	S374 and monitor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 14:06
S376	52	S375 and (object\$1 class\$1 templat\$3 record\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 14:07
S377	40	S375 and (object\$1 class\$1) and (templat\$3 record\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 14:07
S378	26742	monitor\$3 with hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 14:09
S379	8	S377 and S378	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 14:09
S380	1	"6061724".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 14:21
S381	0	"5546595".pn. and (hardware with status)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 14:27
S382	0	"5546595".pn. and (status)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 14:27
S383	1	"5546595".pn. and (hardware)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 14:28
S384	1	"5546595".pn. and (hardware) and monitor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 14:28
S385	1	"5546595".pn. and (hardware) and characteristic \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 14:31
S386	0	"5546595".pn. and (hardware) and usage	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 14:32

S387	0	10/759705 and readable	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 14:33
S388	1	10/759705 and media	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 14:33
S389	1	"5995916".pn.	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 14:36
S390	1	"6061724".pn.	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 14:38
S391	1	"6349306".pn. and records	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/03/24 14:55
S392	1	"6349306".pn. and templates	US_PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2009/03/24 14:56

3/ 24/ 2009 6:44:22 PM

C:\ Documents and Settings\ ktang4\ My Documents\ EAST\ Workspaces\ 10759705.wsp